



Database Creation guide

1.




2.




Database Creation guide

3.




4.




Database Creation guide

5.




6.




Database Creation guide

7.



8.



Database Creation guide

9.

The screenshot shows the phpMyAdmin interface for a MySQL server. The left sidebar contains a tree view of databases, with several databases highlighted in red boxes: 'mhn-admin-ms-db', 'sp-file-management-ms-db', 'sp-hospital-ms-db', 'sp-microservice-starter-kit-db', 'sp-notifications-ms-db', 'sp-patient-ms-db', and 'sp-quote-management-ms-db'. The main area shows the 'Databases' page with a 'Create database' form. The form has 'Database name' set to 'utf8mb4_general_ci' and a 'Create' button. A red arrow points to the 'Create' button, and a red text overlay reads 'All 7 Databases has been created successfully.' Below the form is a 'Filters' section and a table listing the databases.

| Database | Collation | Action |
|--------------------------------|--------------------|------------------|
| information_schema | utf8_general_ci | Check privileges |
| mhn-admin-ms-db | utf8mb4_general_ci | Check privileges |
| mysql | utf8mb4_general_ci | Check privileges |
| performance_schema | utf8_general_ci | Check privileges |
| phpmyadmin | utf8_bin | Check privileges |
| sp-file-management-ms-db | utf8mb4_general_ci | Check privileges |
| sp-hospital-ms-db | utf8mb4_general_ci | Check privileges |
| sp-microservice-starter-kit-db | utf8mb4_general_ci | Check privileges |
| sp-notifications-ms-db | utf8mb4_general_ci | Check privileges |
| sp-patient-ms-db | utf8mb4_general_ci | Check privileges |
| test | utf8mb4_general_ci | Check privileges |